Mr.control

禾詰企業有限公司

35TH

1991-2026

WE ARE HERE FOR 35 YEARS MORE

- Employees: 120
- Production volume: 8 assembly-lines
- We have 3 factorys in Taichung city of Taiwan
- Machines Currently in service:
  Swiss lathe, CNC Milling Machine(3 axle, 4 axle, 5 axle), 31 sets, CNC lathe
  4 sets Turning & Milling Machine in the factory
- Subcontract factorys over 100 sets CNC machine capacity

Company Profile (English)

Website

Catalog Download

Youtube

Your best OEM, ODM total solution partner
Design / Raw material / Assembly / Packing /Shipping



1 DESIGN
Streamlined design-to-delivery solutions for optimized supply chain performance.

2 RAW MATERIALS
- Extrusion
- Forging
- 3D Forging
- 4-way forging.

3 MACHINING
- Conventional machining
- CNC machining

4 SURFACE TREATMENT
- Sandblasting
- Anodizing
- Laser marking

5 ASSEMBLE
We assemble genuine products, ensuring quality for our customers.

6 SHIPPING
We cooperate with customers in various countries for trade exports.

▼ **The machine was purchased.**









▲ 3+2-Axis Machine



▲4-Axis Milling Machine



▲Automatic assembly Star nut



▼Automatic Cam Lathe



▼Swiss Lathe

Mr.control
Since 1991



▼ CNC Turning Lathe







▼ **Factory 1 located at Fengyuan Dist, Taichung city,1000 m².**










▲ Testing Machine



▲ Testing lab




▼ 3D VL Scanning instrument









▼Carbon fiber handlebar impact testing machine







▼ Pedal axis endurance testing machine





Carbon Fiber Seat Post Impact Inspection Machine ▲

Our factory 3 in Shengang Fengzhou Science and Technology Industrial Park.



The company has eight production lines capable of supplying the required production volume.








▲ Assembly line



▲ Cam lathe machine









▲ Deburr machine

▲

Sewage treatment equipments, It can separate mud and chemical water. The chemical water is reusable. Sometimes there is too much chemical water, we can use this machine to separate the chemicals from the water.

Chip compactor Advantages

1.By using a chip compactor, **the volume of waste chips can be reduced by up to 97%**, which also reduces the number of truck deliveries, thereby achieving carbon reduction goals.



2. Only less than 5% remaining oil in the compressed block, and the cutting oil can be recycled and reused, with a recycle rate of over 95% , thereby achieving economic benefits.





The farm next to the factory 1,
it is offer to colleague plant vegetable and fruits for free,
and only organic materials can be used.









THRU AXLE M5 INSIDE

Thru axle for light holder,with M5 and HEX hole in the L/R side,spiry line machined to remove dust and mud.

Custom length thread design available


Multifunctional
Same cost .

PATENED, M675821, R.O.C

SPAX-12X-LH-C2









VIDEO

Mr.control



HB-STB-M1-SSM



HB-STB-M1



HB-MBR-780-SSM



HB-STB-M35-MR02




HB-STB-M35-MR060



HB-STB-M35-MR090

NEW HANDLEBAR ITEM





Integrated light and top cap.
SUPERNOVA® Starstream mini
Headset compatible with TOKEN® A-BOX Code: TK155P

NEW

HB-STB-M1-SSM

2027.P65-01

Custom CNC made handlebar integrated light holder with SUPERNOVA® Starstream mini.
(Light not included.)

MATERIAL: AL6061-T6
STEM ANGLE: -10°
STEM LENGTH: 70 / 90 / 110mm
WIDTH (HOOD TO HOOD)/WIDTH(DROP TO DROP):
about 380 / 413 ; 400 / 433 ; 420 / 453 ;
440 / 473 ; 460 / 493 (mm)
STEERER TUBE: Ø28.6mm
FORK STACK HEIGHT: 40mm
FLARE: 12°
DROP: 120mm
REACH: 85mm
WEIGHT: about 530g (W: 400mm; Stem L: 90mm)
HEADSET COMPATIBLE WITH TOKEN® A-BOX CODE: TK155P





Light not include

NEW

HB-MBR-780-SSM

2027.P64-01

Handlebar with light holder.
compatible with SUPERNOVA® Starstream mini.

MATERIAL: AL6061-T6
SPEC: Ø31.8 x W780mm
RISE: 20mm
BACK SWEEP: 9 degree
UP SWEEP: 5 degree

HANDLEBAR ITEM




Integrated computer mount and top cap.

HB-STB-M1

2027.P65-02

MATERIAL: AL6061-T6
STEM ANGLE: -10°
STEM LENGTH: 70 / 90 / 110mm
WIDTH (HOOD TO HOOD)/WIDTH(DROP TO DROP): about 380 / 413 ; 400 / 433 ; 420 / 453 ; 440 / 473 ; 460 / 493 (mm)
STEERER TUBE: Ø28.6mm
FORK STACK HEIGHT: 40mm
FLARE: 12°
DROP: 120mm
REACH: 85mm
WEIGHT: about 530g (W: 400mm; Stem L: 90mm)
HEADSET COMPATIBLE WITH TOKEN® A-BOX
CODE: TK155P




Stem C to C

PATENTED

HB-STB-M35-MR02

2027.P64-02

MATERIAL: AL-6061-T6
SPEC: Stem length 35mm
Bar width 800mm
For Ø28.6 Steer tube
RISE: 20mm
BACK SWEEP: 8 degree
UP SWEEP: 5 degree




Stem C to C

PATENTED

HB-STB-M35-MR060

2027.P64-03

MATERIAL: AL-6061-T6
SPEC: Stem length 60mm,
Bar width 800mm, For Ø28.6 Steer tube
RISE: 15mm
BACK SWEEP: 8 degree
UP SWEEP: 5 degree



Stem C to C

PATENTED

HB-STB-M35-MR090

2027.P64-04

MATERIAL: AL-6061-T6
SPEC: Stem length 90mm
Bar width 800mm, For Ø28.6 Steer tube
RISE: 5mm
BACK SWEEP: 8 degree
UP SWEEP: 5 degree

PEDALSPEDALS



Traditional Pins.



R-PIN PATENTED,M658172,CN, ZL 2024 2 0439842.6, CN, ZL 2024 2 0148501.3,P.C.T...

Safety & Anti-slip & Comfort.
Innovation concept combine function and safety, let your ride with confidence.

R-PIN :




Black Blue Green Purple Red White

Made by heat treatment carbon steel and multi-tool to replace your damaged pins.

T-PIN:




FOR:Alloy Pedal





2 functions:
Hex socket 2mm
External hex 5mm

Six different colors Aluminium body :



Grey black orange pink blue green

Website

Youtube

NEW

PD-FOUR-CLOVER (R-PIN)
PD-FOUR-CLOVER-2 (T-PIN)


2027.P105-01

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.





MATERIAL:
Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 75 x 90 x 83 (L2xWxL1)
PIN: 24 per side
WEIGHT:
PD-FOUR-CLOVER PEDAL 377g/pair REFLECTORS 8.8g/set
PD-FOUR-CLOVER-2 PEDAL 355g/pair REFLECTORS 8.8g/set



NEW

PD-MODEL-Y80 (R-PIN)
PD-MODEL-Y80-2 (T-PIN)


2027.P105-02

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.





MATERIAL:
Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 100 x 80 x 108 (L2xWxL1)
PIN: 20 per side
WEIGHT:
PD-MODEL Y80 PEDAL 350g/pair REFLECTORS 8.8g/set
PD-MODEL Y80-2 PEDAL 332g/pair REFLECTORS 8.8g/set



NEW

PD-ROCKET (R-PIN)
PD-ROCKET-2 (T-PIN)


2027.P105-03

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.





MATERIAL:
Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 82 x 100 × 106.5 (L2xWxL1)
PIN: 16 per side
WEIGHT: PD-ROCKET PEDAL 278g/pair REFLECTORS 8.8g/set
PD-ROCKET-2 PEDAL 266g/pair REPAEZTORS 8.8g/set




NEW

PD-BEETLE (R-PIN)
PD-BEETLE-2(T-PIN)

2027.P106-01

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let you ride with confidence.

MATERIAL:
Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 100 x 100 x 110 (L2xWxL1)
PIN: 20 per side
WEIGHT:
PD-BEETLE
PEDAL: 370g/pair
REFLECTORS 8.8g/set
PD-BEETLE-2
PEDAL: 338g/pair
REFLECTORS 8.8g/set




NEW

PD-FRIED-EGG (R-PIN)
PD-FRIED-EGG-2 (T-PIN)

2027.P106-02

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let you ride with confidence.

MATERIAL:
Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 86 x 100 x 109 (L2xWxL1)
PIN: 20 per side
WEIGHT:
PD-FRIED EGG
PEDAL: 340g/pair
REFLECTORS 8.8g/set
PD-FRIED EGG-2
PEDAL: 322g/pair
REFLECTORS 8.8g/set




NEW

PD-OCTOPUS (R-PIN)
PD-OCTOPUS-2 (T-PIN)

2027.P106-03

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let you ride with confidence.

MATERIAL:
Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 89 x 98 x 114 (L2xWxL1)
PIN:16 per side
WEIGHT:
PD-OCTOPUS
PEDAL: 330g/pair
REFLECTORS 8.8g/set
PD-OCTOPUS-2
PEDAL: 318g/pair
REFLECTORS 8.8g/set



NEW

PDP-110-01

2027.P106-04

High-strength nylon pedals with multiple optional pin combinations meet the needs of different riders. The wide platform design enhances pedaling comfort, providing greater stability while riding.

MATERIAL:
Body: Nylon Composite
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 108 x 116 x 116 (L2xWxL1)





One-piece molded design



NEW

PD-RIB-125 (R-PIN)
PD-RIB-125-2 (T-PIN)


2027.P106-05

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

MATERIAL:
Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 100 x 125 x 108 (L2xWxL1)
PIN: 24 per side
WEIGHT:
PD-RIB PEDAL: 437g/pair REFLECTORS 8.8g/set
PD-RIB-2 PEDAL: 417g/pair REFLECTORS 8.8g/set







NEW

PD-PEACE-125 (R-PIN)
PD-PEACE-125-2 (T-PIN)


2027.P107-01

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let you ride with confidence.

MATERIAL:
Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 100 x 124 x 108 (L2xWxL1)
PIN: 24 per side
WEIGHT:
PD-PEACE PEDAL: 410g/pair REFLECTORS 8.8g/set
PD-PEACE-2 PEDAL: 391g/pair REFLECTORS 8.8g/set







NEW

PD-FOUR-CLOVER-125 (R-PIN)
PD-FOUR-CLOVER-125-2(T-PIN)

2027.P107-02






Safety & Anti-slip & Comfort
Innovation concept combine function
and safety, let you ride with confidence.

MATERIAL:
Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 100 x 125 x 108 (L2xWxL1)
PIN: 28 per side
WEIGHT:
PD-FOUR-CLOVER 125
PEDAL: 484g/pair REFLECTORS 8.8g/set
PD-FOUR-CLOVER 125-2
PEDAL: 462g/pair REFLECTORS 8.8g/set

2XL





3XL



One-piece
molded design


NEW

PDP-150-01

2027.P107-03

High-strength nylon pedals with multiple optional pin combinations meet the needs of different riders. The wide platform design enhances pedaling comfort, providing greater stability while riding.

MATERIAL:
Body: Nylon Composite
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 108 x 150 x 116 (L2xWxL1)





NEW


PD-88-150 (R-PIN)
PD-88-150-2(T-PIN)

2027.P107-04

3XL



Safety & Anti-slip & Comfort
Innovation concept combine function
and safety, let you ride with confidence.



MATERIAL:
Body: AL6061-6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 100 x 150 x 108 (L2xWxL1)
PIN: 32 per side
WEIGHT:
PD-88-150 PEDAL: 492g/pair REFLECTORS 8.8g/set
PD-88-150-2 PEDAL: 464g/pair REFLECTORS 8.8g/set



NEW


PD-MOTH-150 (R-PIN)
PD-MOTH-150-2(T-PIN)

2027.P107-05

3XL



Safety & Anti-slip & Comfort
Innovation concept combine function
and safety, let you ride with confidence.




MATERIAL:
Body: AL6061-6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE: 100 x 150 x 108 (L2xWxL1)
PIN: 28 per side
WEIGHT:
PD-MOTH-150 PEDAL: 482g/pair REFLECTORS 8.8g/set
PD-MOTH-150-2 PEDAL: 458g/pair REFLECTORS 8.8g/set

SHIMANO® SPD-SL/SPD & LOOK® KEO CLEAT (ROAD/MTB BIKE)


WHEN USED WITH THE MR-CONTROL ADAPTER PLATE, THE PEDALS ARE AT A MORE REASONABLE ANGLE, MAKING IT EASIER TO ACCESS THE PEDALS.



Pedal surface (Shoes contact surface)



(Other) SPD Pedal Platform Adapter.



(Mr.control) SPD Pedal Platform Adapter.

NEW

PDS-M001

2027.P108-06

Durable material for Shimano®(mountain bike) SPD pedals.

MATERIAL: Cr-Mo Steel
(SCM 430 + Cold forged + Heat treated)
COMPATIBILITY: **SHIMANO® SPD**









NEW


PDP-AP-2 / PDP-AP-6

2027.P108-01

The high-strength nylon body incorporates specially designed anti-slip rubber.
Appropriate rubber materials are selected according to the different load conditions at key contact areas to enhance pedaling stability and provide reliable walking performance.
Left- and right-specific designs are available with 2° and 6° float options.

MATERIAL: Body: High-strength composite nylon
Anti-slip Pads: Two types of anti-slip rubber
Accessories : Carbon Steel
FLOAT: 2° / 6°
DIMENSIONS: 74 x 81 mm (Lx W)
COMPATIBILITY: **SHIMANO® SPD-SL**






NEW

PDP-AP-2-NB / PDP-AP-6-NB

2027.NEW

The high-strength nylon body incorporates specially designed anti-slip rubber.
Appropriate rubber materials are selected according to the different load conditions at key contact areas to enhance pedaling stability and provide reliable walking performance.
Left- and right-specific designs are available with 2° and 6° float options.

MATERIAL: Body: High-strength composite nylon
Anti-slip Pads: Two types of anti-slip rubber
FLOAT: 2° / 6°
DIMENSIONS: 74 x 81 mm (Lx W)
COMPATIBILITY: **SHIMANO® SPD-SL**



NEW

PDP-LK-4.5

2027.NEW

Durable material for Look® KEO pedals, and paired with ground-contact anti-slip rubber pads traction.

MATERIAL:
Body:Nylon+Fiber / Rubber
Accessories:Carbon Steel
FLOAT:4.5°
DIMENSIONS:68x70(LxW)
COMPATIBILITY: **LOOK® KEO**



CLIPLESS PEDAL PLATFORM ADAPTER

NEW

PDP-AR2

2027.P108-03

The integrated platform adapter and cleat design requires no additional cleat purchase and installs directly for immediate use; combined with a patented guide ramp, pedaling becomes more stable and efficient.

MATERIAL: High-strength composite plastic
DIMENSIONS: 135 × 84 mm (Lx W)
COMPATIBILITY: Shimano® SPD-SL



NEW

PDP-AR3

2027.NEW

The integrated platform adapter and cleat design requires no additional cleat purchase and installs directly for immediate use; combined with a patented guide ramp, pedaling becomes more stable and efficient.

MATERIAL: High-strength composite plastic
DIMENSIONS: 133 × 83 mm (Lx W)
COMPATIBILITY: Look® KEO



NEW


PDP-2SL-6

2027.P108-04

Patented SPD platform adapter with high strength anti slip resistant cleats , keep the pedal in best optimal angle, bring greater stability and friendly riding experience during training and daily commute, the pedal that meets all your riding needs.

PLATFORM ADAPTER MATERIAL:
Body: Nylon Composite
Y-Locking Plate: Stainless Steel
CLEAT MATERIAL:
Body: High-strength composite nylon
Anti-slip Pads: Two types of anti-slip rubber
Accessories : Carbon Steel
Float: 6°
DIMENSIONS: 139 x 81 mm (Lx W)
COMPATIBILITY: SHIMANO® SPD-SL





NEW

PDP-AR1-M

2027.P108-05

[Pedal Platform Adapter] x [SPD Cleat for Mountain bike].

PLATFORM ADAPTER MATERIAL:
Body: Nylon Composite
Y-Locking Plate: Stainless Steel
CLEAT MATERIAL:
Cr-Mo Steel
(SCM 430 + Cold forged + Heat treated)
DIMENSIONS: 139 x 81 mm (Lx W)
COMPATIBILITY: SHIMANO® SPD
≈ „S" MTB CLEAT



NEW

PDP-2KEO-4.5

2027.NEW

[Pedal Platform Adapter]x[Look® KEO Cleat]


PLATFORM ADAPTER MATERIAL:
Body:Nylon Composite
Y-Locking Plate: Stainless Steel
CLEAT MATERIAL
Body:Nylon+Fiber / Rubber
Accessories:Carbon Steel
FLOAT:4.5°
DIMENSIONS: 139x81 (LxW)
COMPATIBILITY: LOOK® KEO




PEDAL ALL PRODUCTS




3XL **PD-88-150**




3XL **PD-MOTH-150**



3XL **PDP-150-01**



2XL **PD-RIB-125**



2XL **PD-FOUR-CLOVER-125**




2XL **PD-PEACE-125**




L **PDP-110-01**



L **PD-BEETLE**




L **PD-FRIED-EGG**




L **PD-ROCKET**



L **PD-OCTOPUS**



M **PD-MODEL-Y80**



S **PD-FOUR-CLOVER**



TOP SALE ITEM

THRU AXLE

NEW PATENED, M675821, R.O.C

SPAX-12X-LH-C2


2027.P07-01

Thru axle for light holder,with M5 and HEX hole
in the L/R side,spiry line machined to remove dust and mud.

MATERIAL: AXLE AL6066-T6
SPEC:Refer to the specification table.
OPTION: THREAD M12X1.0/M12X1.5/M12X1.75
Custom length thread design available



Axle length	Thread	Thread length
160.8mm	M12*1.5	12mm
165mm-170mm	M12*1.5	15mm
165mm-170mm	M12*1.0	15mm
160mm-165mm	M12*1.5	15mm
160mm-165mm	M12*1.0	15mm
162.5mm	M12*1.5	13mm
165.5mm	M12*1.0	12mm



BEST SELLER

SPAX-12X-M0-C2

2027.P07-03

MATERIAL: AL6066-T6
SPEC: Refer to the specification table.
OPTION:Thread M12 x 1.0 / M15 x 1.5
Custom length thread design available



BEST SELLER

SPAX-M16-12X-C2

2027.P07-04

MATERIAL: AL6066-T6
SPEC: Refer to the specification table.
OPTION: Thread M12 x 1.0/ M12 x 1.5 /
M12 x 1.75
Custom length thread design available



SPAX-121-C2
SPAX-66-C2

2027.P07-05

MATERIAL: AL7075-T6 / AL6066-T6
SPEC:Refer to the specification table.
OPTION: Thread M12 x 1.0 / M15 x 1.5
Custom length thread design available
12mm / 15mm axle custom design available



2025/10

NEW

QR-SPL-LHF

2027.P13-06

QR axle with light holder for hollow front thru axle system.

MATERIAL : AL6061-T6
AXLE: Cr-Mo axle
COLOR : AS ORDER
Custom length thread design available.



QR-TAK-12X

2027.P08-02

Step-in System Lever removable.
With 4mm allen key for stem bolt / clamp bolt.

MATERIAL OF LEVER:Carbon Injection
MATERIAL OF AXLE: AL6066-T6
SPEC: Refer to the specification table.
OPTION:Thread M12 x 1.0 / M15 x 1.5
Custom length thread design available



QR-11-E

2027.P14-03

With plastic nut + steel.

QR-11-SE for seattube
QR-11-EF / 100 for front
QR-11-ER / 135 for MTB rear
QR-11-ERC / 130 for Road bike rear



BEST SELLER

QR-72E

2027.P15-01

Cr-Mo axle / Alloy lever.

WEIGHT:125g/pair (ROAD) / 126.5g/pair (MTB) / 41.5g/pcs (S)
QR-72E-S / for seattube
QR-72E-F / 100 for front
QR-72E-R / 135 for MTB rear
QR-72E-RC / 130 for Road bike rear

* The product's price is
Ex Works price (EXW).



TOP SALE ITEM

SEAT CLAMP



OVER SIZE BEST SELLER

CL-CV 2027.P17-01

Extend rubber cover, to prevent dust permeate in to seattube.
Chamfer edge & oval hole design to protect carbon frame & seatpost.

MATERERIAL: AL6061-T6 clamp with NBR cover

SPEC:
Ø27.2 seatpost - Ø31.8 seattube
Ø31.6 seatpost - Ø34.9 seattube
Ø27.2 seatpost - Ø34.9 seattube
Ø30.9 seatpost - Ø34.9 seattube
Ø33.9 seatpost - Ø38.1 seattube
Ø34.9 seatpost - Ø38.6 seattube
H: 16mm (12mm insert)

COLOR:
Clamp: Black anodize
Cover: Black, Red, Blue, Apple Green, Orange, Pink, White, Yellow



OVER SIZE BEST SELLER

CL-FJ21 2027.P17-02

MATERIAL: AL6066 CNC made
SPEC: Ø28.6, Ø31.8, Ø34.9,Ø38.6
H: 14mm
COLOR: As Order
STANDARD: Blast anodize
OPTION: H 16.5mm
Oval hole design for carbon fiber



OVER SIZE BEST SELLER

CL-9872E-QT 2027.P25-02

MATERIAL: AL6061
With longer lever (72mm)
SPEC: Ø28.6, Ø31.8, Ø34.9, Ø38.6, Ø40
H: 13mm
COLOR: As Order



OVER SIZE BEST SELLER

CL-07P 2027.P18-02

MATERIAL: AL6061 CNC made
SPEC: Ø25.4, Ø28.6, Ø31.8, Ø34.9,Ø38.1, Ø38.6
H: 15mm
COLOR: As Order
WEIGHT: 22.5g
OPTION: Oval hole for carbon
Special chamfer for carbon frame



OVER SIZE BEST SELLER

CL-96QT 2027.P25-03

MATERIAL: AL6061
SPEC: Ø25.4, Ø28.6, Ø31.8, Ø34.9, Ø37, Ø38.1, Ø38.6, Ø40
H: 13mm
COLOR: As Order



BEST SELLER

CL-FR 2027.P20-08

MATERIAL: AL6061
SPEC: Ø28.6, Ø29.8, Ø31.8, Ø34.9
H: 13.5mm
COLOR: As Order
STANDARD: Blast anodize



BEST SELLER

CL-98QT 2027.P25-04

MATERIAL: AL6061
SPEC: Ø25.4, Ø28.6, Ø31.8, Ø34.9
H: 13mm
COLOR: As Order

TOP SALE ITEM

TOP CAP

BEST SELLER

TK-001S

2027.P27-01

MATERIAL: AL6061-T6
WEIGHT: 17.5g/pcs (W/O star nut)
SIZE: 1” , 1-1/8” or 1-1/2”
OPTION: 1. Stainless screw
2. Star nut



BEST SELLER

AR-28.6-H

2027.P30-02

Alloy spacer.

SPEC: AR-28.6-H (ID Ø28.8±0.2 x OD Ø32.5,Ø33, Ø34, Ø35,Ø36)
H: As Order
COLOR: As Order



BEST SELLER

TK-TD18

2027.P27-04

MATERIAL: AL6061-T6
WEIGHT: 13.3g/pcs (W/O star nut)
SIZE: 1-1/8”
COLOR: Sand blast anodize
with star nut
OPTION: AL7075-T73 screw



BEST SELLER

AC-28.6-H

2027.P30-04

Carbon spacer.

SPEC: AC-28.6-H (ID Ø28.8±0.2 x OD Ø34)
H: As Order
COLOR: 3K, UD



TK-TD-C

2027.P27-03

MATERIAL: Carbon
WEIGHT: 11.5g/pcs (W/O star nut)
SIZE: 1-1/8”
With star nut



BEST SELLER

LIGHT WEIGHT

AE-28.6-H

2027.P30-01

Alloy spacer.

P.A.T ED
SPEC: AE-28.6-H (ID Ø28.8±0.2 x OD Ø34)
H: As Order
COLOR: As Order



STAR NUT-29

2027.P27-10

For Ø31.8 Alloy / Cr-Mo fork.

SPEC: Ø28.8
WEIGHT: 10.5g/pcs



BEST SELLER

ACE-28.6-H

2027.P31-02

Carbon spacer.

P.A.T ED
SPEC: ACE-28.6-H (ID Ø28.8 x OD Ø34
H: As Order
COLOR: 3K, UD



TOP SALE ITEM

SPAX-UA-1-142 (168mm)
SPAX-UA-1-148 (176mm)


BEST SELLER

2027.P7-02

Thru axle with UDH hanger set.

MATERIAL: Axle / High Strength AL6066-T6
Hanger / High Strength AL6066-T6
Nylon12+Glass Fiber

Custom length thread design available.




NEW

SPAX-UAP2-1-142 (168mm)
SPAX-UAP2-1-148 (176mm)

2027.NEW

MATERIAL: Axle / High Strength AL6066-T6
Body / Bolt: AL6066-T6
Frame shape: Nylon






BEST SELLER

UDH-HANGER

2027.P99-03

The Universal Derailleur Hanger.
MATERIAL: AL6066-T6 BODY / NYLON FRAME
WEIGHT: 27g/pcs







Main body Alloy co-molded with Nylon destructive test.
"Passed the torque test of 40N.m"

NEW

UDH-HANGER-SH

2027.P99-02

Universal Derailleur Hanger for SHIMANO system.

MATERIAL: AL6061-T6 BODY / 6066-T6 BOLT
COLOR: Black
WEIGHT: 34.5g /set







NEW

UDH-HANGER-AL

2026.P99-04

Hanger never get damaged.
Material : Hanger and Washer:AL-6061-T6 /
Bolt: AL-6066-T6



NEW


UDH-HANGER-P2

2027.P99-05

Featuring an aluminum alloy axle with the original nylon plastic styling outline preserved.
MATERIAL:
Body / Bolt: AL6066-T6
Frame shape: Nylon



UDH-HANGER SUITABLE FOR SHIMANO® SPEC




NEW

SPAX-DM-1 (Shimano® specifications TBA.)


2027.NEW

Thru axle with UDH-HANGER-SDA set.

MATERIAL:
Axle:High Strength AL6066-T6
Hanger:AL6061-T6 / Nylon12+Glass Fiber
(Under Development and Design)








NEW

SPAX-DMAL-1 (Shimano® specifications TBA.)


2027.NEW

Thru axle with UDH-HANGER-SDA-AL set.

Material:
Axle:High Strength AL6066-T6
Hanger and Washer:AL6061-T6
Bolt:High Strength AL6066-T6








NEW

SPAX-DMP2-1 (Shimano® specifications TBA.)

2027.NEW

Thru axle with UDH-HANGER-SDA-P2 set.

Material:
Axle:High Strength AL6066-T6
Hanger:AL6061-T6 / Nylon12+Glass Fiber
(Under Development and Design)





NEW

UDH-HANGER-SDA 2027.NEW

The Universal Derailleur Hanger.
Compatible with Shimano® upcoming UDH interface.

MATERIAL:
Body / Bolt: AL6066-T6
Frame shape: Nylon
(Under Development and Design)



NEW

UDH-HANGER-SDA-AL 2027.NEW

Hanger never get damaged.
Compatible with Shimano® upcoming UDH interface.

MATERIAL:
Hanger and WASHER:AL6061-T6
Bolt:AL6066-T6




NEW

UDH-HANGER-SDA-P2 2027.NEW

Featuring an aluminum alloy axle with the original nylon plastic styling outline preserved.
Compatible with Shimano® upcoming UDH interface.

MATERIAL:
Body / Bolt: AL6066-T6
Frame shape: Nylon
(Under Development and Design)



NEW

UDH-HANGER-SDM 2027.NEW

Compatible with SHIMANO® upcoming UDH direct mount interface.

MATERIAL:
Hanger and Washer: AL6061-T6
Bolt: AL6066-T6



BEST SELLER

SPAX-12X-M0-C2

2027.P7-03

MATERIAL: AL6066-T6 axle
SPEC: Refer to the specification table.
OPTION: Thread M12 x 1.0 / M15 x 1.5
Custom length thread design available

12mm axle with CNC cut to save weight and spiry helicoid cut to prevent axle stuck with dust and mud and prevent the axle stuck in the hub.





Riveting workieces








禾諳企業有限公司
LAMINAR ENT. CO.,LTD.

台中市霧原區豐南街92巷167-3號
TEL:886-4-25391989 FAX:886-4-25391973
Email:paimaero@ms35.hinet.net

材料測試_試驗報告

1.公司名稱：禾諳企業有限公司
2.操 作 者：Sam
3.試驗批號：SPAX 12X M0 -Samlp1
4.試驗日 期：2021年3月12日
5.試驗溫度：25C
6.試驗型態：拉力試驗
7.試驗標準：心軸拉力破壞
8.試件名稱：sample
9.標點距離：50.000mm
10.試件斷面：不規則
11.試件斷面：不規則
12.試件面積：400.0000mm^2
13.總 能 量：18J
14.弦形係數：148.852kgf/mm^2
15.備註 ：

	荷重(kgf)	伸長(mm)	應力(kgf/mm^2)	應變(%)
最大	1828.9	1.82	4.572	3.64
斷裂	1111.7	1.86	2.779	3.72
降伏	0.0	0.00	0.000	0.00



NEW

SPAX-12X-R2RL

2027.P9-01

For direct mount hanger protecter, protect the dropout from side impacts,strengthens interface between derailleur and frame,with custom length thru axle.

MATERIAL: AL6061-T6
COLOR: Sand blast black
SPEC: Custom length thread design available
Axle length 160.8mm pitch M12*1.5 fit 2023 Giant® TCR/PROPEL/ DEFY.






BEST SELLER

QR-TAK-12X/15X-C2

2027.P8-02

Step-in System Lever removable.
With 4mm allen key for stem bolt / clamp bolt.

MATERIAL OF LEVER: Carbon Injection
MATERIAL OF AXLE: AL6066-T6
SPEC: Refer to the specification table.
OPTION: Thread M12 x 1.0 / M15 x 1.5
Custom length thread design available



P. A .T. ED



BEST SELLER

SPAX-M16-12X-C2

2027.P7-04

MATERIAL: AL6066-T6
SPEC: Refer to the specification table.
OPTION: Thread M12 x 1.0/ M12 x 1.5 / M12 x 1.75
Custom length thread design available

Customized colors available.



SPAX-TL-12X

BEST SELLER

2027.P8-01

Integrated 6mm allen key system with 12mm / 15mm hollow axle,with cover to keep tool in position.

MATERIAL: AL6066-T6 axle
SPEC: Refer to the specification table.
OPTION: Thread M12 x 1.0 / M15 x 1.5
Custom length thread design available
12mm / 15mm axle custom design available







P.A.T. ED




SPAX-12X-R2R

2027.P9-02

Protects the dropout from side impacts,
Strengthens interface between derailleur
and frame, with Custom length thru axle.

MATERIAL: AL6061-T6
COLOR: Sandblast black
SPEC: Custom length thread design available
Axle length 160.8mm Pitch M12*1.5
fit 2023 Giant TCR & PROPEL & DEFY.



UDH-R2R

2027.P9-03

For UDH hanger system,protects the dropout
from side impacts,strengthen interface
between derailleur and frame.

Hanger material : High strength AL 6066-T6
Nylon12+Glass Fiber
Protector material : AL 6061T6
Color : black
Weight : 66g



UDH-R2R

QR-SM-TAR

2027.P11-02

For rear Ø12mm thru axle.
Include width adjuster: 142, 148, 150mm.

MATERIAL: AL6061-T6
WEIGHT: 91g/set (with adapter)





BEST SELLER

QR-SM-PLR-142E/ 148E / 150E

2027.P11-01

Handy chain tension device for travelling.
For rear Ø12mm thru axle frame.

MATERIAL: Nylon
SPEC: Width 142 / 148 / 150mm
WEIGHT: 46g/pcs (142E)



QR-SM-TAF012 /TAF015/ TAF0151/TAF020

2027.P11-03

For fork Ø12 x 100 thru axle
Ø15 x 100 thru axle
Ø15 x 110 thru axle
Ø20 x 110 thru axle

MATERIAL: AL6061-T6
WEIGHT: 33g/pcs (TAF015)
44g/pcs (TAF020)





NEW

CH-ES3-LW

2027.P49-01

Light weight design bash guard for single speed.

MATERIAL: AL6061-T6
SPEC: ISCG-05
RANGE: 28T-36T
COLOR: AS ORDER
WEIGHT: 45g



CH-G23-MED2

2027.P48-04

For MTB 1X system drivertrain with bash guard.

MATERIAL: AL6061-T6/ Nylon
SPEC: ISCG 05
TEETH: 28-34T
COLOR: As Order





CH-DLG9T

2027.P48-01

Chain guard with pulley style and bashguard.

MATERIAL: AL6061-T6
SPEC: ISCG 05
TEETH: 28-34T
COLOR: Black





CH-DLR

2027.P48-02

Chain guard with roller style and bashguard.

MATERIAL: AL6061-T6/ NYLON
SPEC: ISCG 05
TEETH: 28-34T
COLOR: Black



CH-CLD

2027.P51-01

MATERIAL: AL6061-T6
SPEC: Clamp Ø34.9,
Ø31.8, Ø28.6 mm
COLOR: Black





NEW

CH-MTS-MED2

2027.P47-03

Chain guide for 1X system ,
BB mount version.
MATERIAL: ARM AL6061T6 / UPPER GUARD GV5H
SPEC: SB BLACK
RANGE: 30T-38T
Include spacers for chainline adjust.



CH-BOSCX-MED2
CH-BOSCX-MED
CH-BOSCX-MINI

2027.P46-02


2.5mm


5mm


0.5mm

For BOSCH® CX chain guide.

MATERIAL: AL6061-T6
SPEC: BOSCH® CX
RANGE: 32T-38T
COLOR: As Order
OPTION: Spacer thickness


CH-BOSCX-MED2


CH-BOSCX-MED


CH-BOSCX-MINI

CH-R1-MINI

2027.P47-01

Design for mtb 1x system drivetrain.
Carbon long fibers with nylon Injection.
Without ADP-N.
Easy to set up the top guide position.
MATERIAL: Carbon with nylon
SPEC: ISCG-05
RANGE: 30T - 36T
WEIGHT: 28g/set







NEW

CH-FD-SH-MED2

2027.P51-02

Upper guide for single speed FD mount system frame .
MATERIAL:AL6061-T6 arm/nylon cage
SPEC:FD mount system
RANGE:42T-68T
COLOR: AS ORDER
WEIGHT:30g





NEW

CH-FD-SHF

2027.P51-03

Inner guide for single speed FD mount system frame .
MATERIAL:AL6061T6 arm/nylon cage
SPEC:FD mount system
RANGE:42T-68T
COLOR: AS ORDER
WEIGHT:20g





CH-EX-FD

2027.P51-04

Low-profile, FD mount chain guard for 1X drivetrains.
Alloy body, with a nylon guide that is easy to adjust and quiet on your chain.

MATERIAL: AL6061-T651 body / nylon cage
SPEC: FD mount system
RANGE: 32T - 58T
COLOR: Black
WEIGHT: 25g/set





CH-ES-LD

2027.P47-05

Low-profile, low direct mount chain guard for 1X drivetrains.
Carbon injection body, with a nylon guide that is easy to adjust and quiet on your chain.

MATERIAL: Carbon body / nylon cage
SPEC: Low direct mount system
RANGE: 32T - 36T
COLOR: Black
WEIGHT: 17g/set







CH-CM1

2027.P52-03

Chain guard for 1 by 9, 10, 11 speed.
With plastic upper guard.

MATERIAL: AL6061-T6
DIA: Ø34.9 With adapter to Ø31.8
COLOR: Black





NEW

ADP-KIOX-INT200

2027.P77-01

Compatible with KIOX Intuvia 200 display,
Allows angle and side adjustment for clear rider display visibility.

MATERIAL: Nylon
SPEC: For Ø31.8mm handlebar



ADP-KIOX-GR-MB-32 / 35

2027.P78-04

Clamp type computer mount for KIOX on-board computer.

MATERIAL: Nylon
SPEC: For Ø31.8mm / Ø35mm handlebar



ADP-KIOX-FBE-32 / 35

2027.P77-02

For new generation KIOX bracket.
Install KIOX display in front of the stem position.

MATERIAL: Nylon
SPEC: For Ø31.8mm / Ø35mm handlebar



ADP-KIOX-MBE32 / 35

2027.P77-04

For new generation KIOX bracket.
Install KIOX display rear and left of the handlebar position.

MATERIAL: Nylon
SPEC: For Ø31.8mm / Ø35mm handlebar




ADP-KIOX-FBE-BAR-32 / 35

2027.P78-02

For new generation KIOX bracket include extension bar for control unit.

MATERIAL: Nylon
SPEC: For Ø31.8mm / Ø35mm handlebar




ADP-KIOX-GRBAR-32 / 35
ADP-KIOX-GR-32 / 35

2027.P78-02
2027.P78-01

Clamp type computer mount for KIOX on-board computer.

MATERIAL: Nylon
SPEC: For Ø31.8mm / Ø35mm handlebar



ADP-KIOX-BWP

2027.P78-05

Clamp type computer mount for Kiox on-board computer.
For MTB bike.

MATERIAL: Nylon
SPEC: For Ø31.8mm handlebar clamp



ADP-KIOX-TOP

2027.P78-03

Top cap type computer mount.
For Kiox.

MATERIAL: Nylon
SPEC: For Ø28.6mm steerer tube



ADP-KIOX-FP

2027.P78-06

Clamp type computer mount for Kiox on-board computer.
For Road bkie / City bike.

MATERIAL: Nylon
SPEC: For Ø31.8mm handlebar clamp



NEW


CX-DA12S/CX-UT12S/CX-10512S

2027.P44-01

Narrow wide chainring for SHIMANO® 12 speed crank. With mud remove design on teeth shape.
Fix SHIMANO ® crankset with special bolt.

MATERIAL: AL7075-T651 full CNC made
P.C.D: Ø110mm
TEETH SPEC: 56T/58T/60T/62T/64T/66T
CRANK COVER CAP MATERIAL: AL7075-T651
CHAINRING BOLT MATERIAL: AL7075-T651





Option



CX-DA12S For SHIMANO® FC-R9200 crank
CX-UT12S For SHIMANO® FC-R8100 crank
CX-10512S For SHIMANO® FC-R7100 crank

NEW

CX-SR13S

2027.NEW

Narrow wide chainring for SRAM 13 speed crank. With mud remove design on teeth shape.

MATERIAL: AL7075-T651 full CNC made
TEETH: 46T/48T/50T/52T
SPEC: SRAM® T type direct mount 8-bolt
OFFSET: 6mm for chainline 47.5mm



NEW

CX-XTR12S-DI2

2027.P43-01

Narrow wide chainring for new XTR/XT DI2 12speed direct mount crank.

MATERIAL: AL7075-T651
TEETH: 30T/32T/34T/36T/38T/40T/42T
SPEC: XTR/XT DI2 12speed
COLOR: As order
WEIGHT: 70G(36T)



NEW

CX-G12S

2027.NEW

Narrow wide chainring for SHIMANO GRX. With mud remove design on teeth shape.

MATERIAL: AL7075-T651 full CNC made
P.C.D: Ø110mm
TEETH: 40T/42T/44T



CX-E-MOTO

2027.P44-03

E motor chainring with mud remove design on teeth shape.
FIT: 420 chain
MATERIAL: AL7075-T651
P.C.D: Ø68.5 Hole
TEETH: 58T / 60T / 62T / 64T
COLOR: As Order
Custom design available





CX-XTR-DIR

2027.P43-03

Narrow Wide chainring for XTR / XT 12 speed crank.
MATERIAL: AL7075-T651
TEETH: 30T / 32T / 34T / 36T
SPEC: XTR/XT Direct mount







CX-CR-L

2027.P44-02

MATERIAL: CR-MO steel heat treatment
TEETH SPEC: 25T / 28T / 30T
HIGHT: 3mm
COLOR: ED BK




CX-TD-DIR


2027.P43-02

Narrow wide chainring for SRAM® T type crank.
MATERIAL: AL7075-T651
TEETH: 30T / 32T / 34T / 36T
SPEC: SRAM® T type direct mount 8-bolt
OFFSET: 3mm for chainline 55mm




Property	Specification
Remanence	>1.3T
Polarization	Towards Sensor
Dimensions	Thickness > 0.5 x Diameter (h > 0.5d) Diameter > Thickness(d > h)
Volume*	V = π x h x (d / 2)² Depending





▶ 6-Bolt Magnet




ADP-SHE8-1S



ADP-SHE8-2S


ADP-SHE8-3S


ADP-SHE8-W60S

▶ 5-Bolt Magnet


Fix SM-RTC60





ADP-SHE8-P74S

SHIMANO SM-RTC60:
5-hole disc with 74mm pitch circle diameter.
SHIMANO SG-C6061-8CD:
5-hole disc with 74mm pitch circle diameter.

▶ Center Lock Magnet




ADP SHE8-MSH44-19



ADP SHE8-MSH44-32


▶ Center Lock Magnet



ADP-M-SHE8-32CS



ADP-M-SHE8-40CS



ADP-SHE8-P74S

2027.P85-01

For E-bike speed sensor adapter, can fix SHIMANO® SM-RTC60.

MATERIAL: Stainless washer with N45 SH magnet
SPEC: C-C 40mm



ADP-SHE8-1S
ADP-SHE8-2S
ADP-SHE8-3S
ADP-SHE8-W56S/ADP-SHE8-W60S

2027.P85-02

For E-bike speed sensor adapter.
MATERIAL: Stainless washer with N45 SH magnet
SPEC: ADP-SHE8-1S: C-C 32mm with 1mm magnet
ADP-SHE8-2S: C-C 32mm with 2mm magnet
ADP-SHE8-3S: C-C 40mm with 2mm magnet
ADP-SHE8-W56S: C-C 56mm with 2mm magnet
ADP-SHE8-W60S: C-C 60mm with 2mm magnet



ADP-SHE8-WS

2027.P86-01

Washer of SHIMANO® disc rotor.

MATERIAL: Stainless steel
THICKNESS: 0.5mm



ADP-SHE8-HS

2027.P86-02

For E-bike speed sensor adapter.

MATERIAL: Stainless washer with N45 SH magnet
SPEC: C-C 32mm with 1mm magnet







ADP-M-SHE8-32CS
ADP-M-SHE8-40CS

2027.P86-03

Lockring adapter for E-bike speed sensor.
MATERIAL: AL6061 washer with N45 SH magnet
SPEC:
ADP-M-SHE8-1: C-C 32mm with 2mm magnet
ADP-M-SHE8-2: C-C 40mm with 2mm magnet





NEW

ADP SHE8-MSH44-19
ADP SHE8-MSH44-32

2027.P86-07

Center lock with integrated N45 SH magnet for E-BIKE speed sensor .

MATERIAL: AL6061-T6 /N45 SH magnet Center lock OD/44MM
SPEC:
ADP SHE8-MSH44-19: C-C 19mm with 3mm magnet
ADP SHE8-MSH44-32: C-C 32mm with 3mm magnet

ADP-SH2

2027.P86-04

SHIMANO® center-lock disc hub adapter.
Stainless steel washer with alloy nut



ADP-SH1

2027.P86-05

SHIMANO® center-lock disc hub adapter.
Stainless steel washer with alloy nut



ADP-SH1220

2027.P86-06

SHIMANO® center-lock 12 / 20mm
thru-axle disc hub adapter.
With alloy lockring (M-SH3611)

OPTION: Cr-Mo lock ring (M-SH1521-CR)



M-SH3611

ADP-DISC-SH-F

2027.P86-08

Center lock system / With alloy lockring.
Front 15mm boost hub adapter for 100mm transform to 110mm hub.



M-SH3611

ADP-DISC-SH-R

2027.P86-09

Center lock system / With alloy lockring.
Rear 12mm boost hub adapter for 142mm transform to 148mm hub.



M-SH3611

ADP-DISC-F

2027.P86-11

Front 15mm boost hub adapter
for 100mm transform to 110mm hub.



ADP-DISC-R6

2027.P86-10

Rear 12mm boost hub adapter for 142mm transform to 148mm hub.





P.A.T.ED WORLD WIDE







PATENTED

CL-CV OVER SIZE

2027.P17-01

SPEC: Ø27.2 seatpost - Ø31.8 seattube / Ø31.6 seatpost - Ø34.9 seattube
Ø27.2 seatpost - Ø34.9 seattube / Ø30.9 seatpost - Ø34.9 seattube
Ø33.9 seatpost - Ø38.1 seattube / Ø34.9 seatpost - Ø38.6 seattube

TK-MG-CO

2027.P26-01

Top cap with full cover.

Material: AL-6061T6
COLOR: As order
WEIGHT: 9g
Custom logo design avaliable













TK-001S
TK-001S-38.1

2027.P27-01

MATERIAL: AL6061-T6
WEIGHT: 17.5g/pcs (W/O star nut)
SIZE: 1" , 1-1/8" or 1-1/2"
OPTION: 1. Stainless screw
2. Star nut



NEW

STAR NUT-030

2027.P27-11

For internal routing of front brake hose and front electrical cable.

SPEC: 1-1/8 steere tube.
WEIGHT:9.5g



TK-BEERA

2027.P27-02

With TK-001S
Material: AL6061-T6 CNC finished
COLOR: As order
WEIGHT: 23g (W/O star nut)
Size: 1-1/8”





TK-TD-C

2027.P27-03

MATERIAL: Carbon
WEIGHT: 11.5g/pcs (W/O star nut)
SIZE: 1-1/8”
With star nut




TK-TD18 BEST SELLER

2027.P27-04

MATERIAL: AL6061-T6
WEIGHT: 13.3g/pcs (W/O star nut)
SIZE: 1-1/8”
COLOR: Sandblasting anodize with star nut
OPTION: AL7075-T73 screw






TK-TD12-E

2027.P27-05

MATERIAL: AL6061-T6
WEIGHT: 16.5g/pcs (W/O star nut)
SIZE: 1-1/8”
COLOR: Sandblasting anodize
Stainless screw
OPTION: AL7075-T73 screw






TK-TD01

2027.P27-06

MATERIAL: AL6061-T6
WEIGHT: 13g/pcs (W/O star nut)
SIZE: 1-1/8”
COLOR: Sandblasting anodize with star nut
OPTION: AL7075-T73 screw
Stainless screw





TK-001D

2027.P27-08

MATERIAL: AL6061-T6
WEIGHT: 14.5g/pcs (W/O star nut)
SIZE: 1” , 1-1/8”
OPTION: 1. Stainless screw
2.Star nut



AC-25.4-H / AC-28.6-H
AC-31.8-H / AC-38.1-H

BEST SELLER

2027.P30-04

Carbon spacer.

Spec: AC-25.4-H (ID Ø25.6±0.2 x OD Ø31.5)
AC-28.6-H (ID Ø28.8±0.2 x OD Ø34)
AC-31.8-H (ID Ø32.0±0.2 x OD Ø38.8)
AC-38.1-H (ID Ø38.3±0.2 x OD Ø45.2)
H: As Order
Color: 3K, UD



ACE-28.6-H
ACE-31.8-H

2027.P31-02

Carbon spacer.

P.A.T ED
Spec: ACE-28.6-H (ID Ø28.8 x OD Ø34)
ACE-31.8-H (ID Ø32.0 x OD Ø38.8)
H: As Order
Color: 3K, UD



AR-25.4-H / AR-28.6-H
AR-31.8-H / AR-38.1-H

BEST SELLER

2027.P30-02

Alloy spacer.

Spec: AR-25.4-H (ID Ø25.6±0.2 x OD Ø32)
AR-28.6-H (ID Ø28.8±0.2 x OD Ø32.5, Ø33, Ø34, Ø35, Ø36)
AR-31.8-H (ID Ø32.0±0.2 x OD Ø38.8)
AR-38.1-H (ID Ø38.3±0.2 x OD Ø44)
H: As Order
Color: As Order



AE-28.6-H

BEST SELLER

2027.P30-01

Alloy spacer.

P.A.T ED
Spec: AE-28.6-H (ID Ø28.8±0.2 x OD Ø34)
H: As Order
Color: As Order



AR-28.6-H

2027.P31-01

Alloy spacer for Ø28.6 fork.
Carbon fiber steering tube please notify.

MATERIAL: AL6061-T6
SPEC: ID 28.6+0.1+0.4 x OD Ø34mm
ID 28.6+0.1+0.4 x OD Ø36mm
H: OD Ø34/ 50, 100, 110, 120, 130, 140, 150, 160, 180, 200 mm
OD Ø36/ 50, 100, 110, 120, 130, 140, 150, 170 , 200 mm
COLOR: Sand blast black, silver, Black, Silver, As Order



SHIM -1012

BEST SELLER

2027.P60-01

MATERIAL: AL6061-T6
SPEC: OD Ø30.0 x ID Ø27.2 x (H)100mm
OD Ø30.2 x ID Ø27.2 x (H)100mm
OD Ø30.6 x ID Ø27.2 x (H)100mm
OD Ø30.9 x ID Ø27.2 x (H)100mm
OD Ø31.6 x ID Ø27.2 x (H)100mm
OD Ø33.9 x ID Ø30.9 x (H)110mm
OD Ø34.9 x ID Ø30.9 x (H)110mm
OD Ø33.9 x ID Ø31.6 x (H)110mm
OD Ø34.9 x ID Ø31.6 x (H)110mm
OD Ø40.0 x ID Ø33.9 x (H)120mm
OD Ø40.0 x ID Ø34.9 x (H)120mm
COLOR: As Order
Customized service design available.







ADP-STEM

2027.P29-02

Steering tube extend.
For Ø28.6mm fork.

MATERIAL: AL6061-T6
LENGTH: 50mm, 90mm, 120mm
With top cap & long screw x2pcs
for custom to assemble

Adjust the height (mm)

	MIN	MAX
50	47.5	65.5
90	47.5	105.5
120	47.5	135.5





NEW DROPPER POST

NEW

SPA-DP

2027.P58-01

Lightweight design and precision manufacturing.
More drop options available

Diameter:30.9 or 31.6
Drop options:100/125/150/175/200mm
WEIGHT:482g (OD 31.6 / 100mm)
Internal cable routing.

DROPPER LEVER






SIZE
30.9 or31.6 xT100
30.9 or31.6 xT125
30.9 or31.6 xT150
30.9 or31.6 xT175
30.9 or31.6 xT200

SPA-35A

2027.P59-01

MATERIAL: 3D forged AL6061-T6
SPEC: Ø31.8 or Ø34.9mm
LENGTH: 450mm/ 600mm/ 700mm
OFFSET: 20mm
WEIGHT: 626g (Ø34.9x450mm)





NEW


SPA-SL7

2027.P59-02

Aluminum tube with cold drawn process, easy of adjustment and lightweight and stiffness.

MATERIAL: AL7075-T73
Size : Ø34x630L
OFFSET: 0mm
WEIGHT: 395g
COLOR: Sand blast anodize





NEW


SPA-SF1

2027.P59-03

Lightweight Aluminum Tube.

MATERIAL: Clamp base: Steel
Tube: AL6061-T6 PG
SPEC: Ø31.8x610L
THICKNESSES: 2.5T
WEIGHT: 605g
COLOR: Clamp base: ED/Black
Tube: Sand blast anodized





NZ-TUSH-F


2027.P91-02

The multi-vent valve allows users to pump up tyres quickly and also works with most the foam-inserted tubeless tyres.

MATERIAL: AL6061-T6 with NBR taper cone spacer
SPEC: Presta valve
LENGTH: 47, 52, 62, 72, 87, 107mm











NEW

SSP-SREICO-1218

2027.P39-01

12T/18T Carbon pulley with carbon/alloy cage for SRAM® AXS RED E1/FORCE E1.

MATERIAL: Carbon/Alloy Cage/Carbon pulley
SPEC: 12T+18T
FOR: SRAM® AXS RED E1/FORCE E1.
COLOR: UD Carbon
OPTION: Ceramics ball bearing



NEW

SSP-SR71CO-1218

2027.P39-02

12T/18T Carbon pulley with carbon/alloy cage for RD-R7150 12S (105 DI2)/ RD R7100 12S.

MATERIAL: Carbon/Alloy Cage/Carbon fiber pulley
SPEC: 12T+18T
FOR: SHIMANO® R7150 12S (105 DI2)/RD R7100 12S
COLOR: UD Carbon
OPTION: Ceramics ball bearing



NEW

SSP-SR71A-1218

2027.P39-03

12T/18T AL7075-T651 Pulley with carbon 3k cage for RD-R7150 12S (105 DI2)/ RD R7100 12S.

MATERIAL: Carbon 3k Cage/AL7075-T651 Pulley
SPEC: 12T+18T
FOR: SHIMANO® R7150 12S (105 DI2)/RD R7100 12S
COLOR: 3K Carbon
OPTION: Ceramics ball bearing.



NEW

SSP-SR98A-1218

2027.P39-04

12T/18T AL7075-T651 Pulley with carbon cage for RD-R9250 12S (DURA-ACE DI2)/ RD-R8150 12S (ULTEGRA DI2) .

MATERIAL: Carbon Cage/AL7075-T651 Pulley
SPEC: 12T+18T
FOR: SHIMANO® RD-R9250 12S(DURA-ACE DI2)/RD-R8150 12S (ULTEGRA DI2)
COLOR: 3K Carbon



NEW

SSP-SR71N-1218

2027.P39-05

12T/18T Carbon pulley with carbon 3k cage for RD-R7150 12S (105 DI2)/RD R7100 12S.

MATERIAL: Carbon 3k Cage/Carbon pulley
SPEC: 12T+18T
FOR: SHIMANO® R7150 12S (105 DI2)/RD R7100 12S
COLOR: 3K Carbon
OPTION: Ceramics ball bearing.



NEW

SSP-SR98N-1218

2027.P39-06

12T/18T Carbon pulley with carbon cage for RD-R9250 12S (DURA-ACE DI2)/RD-R8150 12S (ULTEGRA DI2) .

MATERIAL: Carbon Cage/Carbon pulley
SPEC: 12T+18T
FOR: SHIMANO® RD-R9250 12S (DURA-ACE DI2)/RD-R8150 12S (ULTEGRA DI2)
COLOR: 3K Carbon
OPTION: Ceramics ball bearing.



NEW

SSP-SRE1A-1218

2027.P40-01

12T/18T AL7075-T651 pulley with carbon 3K cage for SRAM® AXS RED E1/FORCE E1.

MATERIAL: Carbon 3K Cage/AL7075-T651 Pulley
SPEC: 12T+18T
FOR: SRAM® AXS RED E1/FORCE E1.
COLOR: 3K Carbon
OPTION: Ceramics ball bearing.



NEW

SSP-SRE1N-1218

2027.P40-02

12T/18T carbon with carbon cage for SRAM® AXS RED E1/FORCE E1.

MATERIAL: Carbon Cage/Carbon pulley
SPEC: 12T+18T
FOR: SRAM® AXS RED E1/FORCE E1.
COLOR: 3K Carbon
OPTION: Ceramics ball bearing.



SSP-AXCO-ROLLER KIT 2027.P40-03

Upper12T/Lower16T derailleur cage for SRAM® RED AXS/FORCE/RIVAL 12 speed system.

MATERIAL: Carbon Cage/AL7075-T651 PULLEY
SPEC:
SRAM® RED AXS / FORCE / RIVAL derailleur SYSTEM.
COLOR: 3K Carbon
WEIGHT: 58g



SSP-AX-ROLLER KIT 2027.P40-04

MATERIAL: AL6061-T6 Cage
AL7075-T651 Pulley
SPEC: SRAM® AXS derailleur system
COLOR: As Order
WEIGHT: 67g/set
OPTION: Ceramics ball bearing



SSP-R91-CO ROLLER KIT 2027.P40-05

Oversize derailleur cage with 12T upper and 16T lower pulley. With carbon plate.
Pulley are full CNC made from AL7075-T651 with Cr-Mo or steel bearing.
Compatible with SHIMANO® RD 9150 / RD 8050 / RD 9100SS.

MATERIAL: Carbon Cage & AL7075-T651 Pulley
SPEC: Fit SHIMANO® RD 8050 / RD 9150 / RD 9100SS
COLOR: As Order
OPTION: Ceramics ball bearing
Not available in Japan



SSP-R8050 ROLLER KIT 2027.P40-06

Oversize derailleur cage with 12T upper and 16T lower pulley.
Pulley are full CNC made from AL7075-T651 with Cr-Mo or steel bearing.
Compatible with SHIMANO® RD 8050 / RD 8000.

MATERIAL: AL606T-T6 Cage
AL7075-T651 Pulley
SPEC: Fit SHIMANO® RD 8050 / RD 8000
COLOR: As Order
OPTION: Ceramics ball bearing
Not available in Japan



NEW ADP-GR-LHSOS

2027.P98-01

Light holder with intergrated tubeless repair kit.

Material: AL6061-T6
TUBELESS REPAIR KIT CONTENT
Reamer/Plugger/Tire seal strip
COLOR: AS ORDER
WEIGHT:45g





NEW ADP-GR-LHTL

2027.P98-02

Light holder with intergrated tool bits.

MATERIAL:AL6061-T6
3PCS BITS CONTENT
HEX 5MM/4MM/T25
COLOR: AS ORDER
WEIGHT: 60g





NEW ADP-GR-LH

2027.P98-03

Light holder for gravel bike to mount on the fork or thru axle with M5 thread.

MATERIAL: AL6061-T6
COLOR : AS ORDER
WEIGHT: 24g





NEW ADP-3RL-2X32

2027.P75-03

Double clamp for Ø31.8 extension bar, create extra space for bikepacking gear.

Material: AL6061-T6
Spec: Clamp Ø31.8mm
TUBE: Ø31.8 x 200L



Removeable end cap.
Tube inside for extrastorage space.

ADP-3RL

2027.P76-03

Double alloy clamp with length 200m/m tube.
Adjustable clamp spacing.

MATERIAL: AL6061-T6
SPEC: Ø31.8mm
TUBE LENGTH: 200L
WEIGHT: 43g/ set
COLOR: As Order



NEW

ADP-ORG32-SSM

2027.P76-04

Create extra space for handlebar. Integrated computer mount and light. Adequate lighting. Angle adjustable.
Best provide for heat dissipation.
(Light not included.)

MATERIAL: AL6061-T6
SPEC: Ø31.8mm
W: 58mm
WEIGHT:100g
Light holder compatible with SUPERNOVA® Starstream mini



ADP-ORG26

2027.P76-05

Create extra space for handlebar.
Double clamp with tube Ø26mm

Material: AL6061-T6 clamp
ADP-ORG26:3K CARBON tube
ADP-ORG26-A: AL6061-T6 tube
SPEC :Ø31.8mm
W:46mm/ 59mm




ADP-ORG26-35
ADP-ORG26-35-A

2027.P76-07

Create extra space for handlebar.
Double clamp with tube Ø26mm

MATERIAL: AL6061-T6 clamp
ADP-ORG26-35: 3K CARBON tube
ADP-ORG26-35-A: AL6061-T6 tube
SPEC: Ø35mm
W: 46mm / 59mm



ADP-BCM-P

2027.P72-04

For handlebar cycling computer mount.
With removable GoPro® interface.
Simple and fast installation.
CNC bracket, available in interchangeable trays.
Compatible with Garmin Edge 1050.

MATERIAL: AL6061-T6
SPEC: Clamp Ø31.8mm
WEIGHT: 57g/set



AC-MTB35

2027.P72-03

Clamping type for MTB and cyclocross cycling computer mount.
Allow riders place computer above the stem.

MATERIAL: AL6061
SPEC: Clamp Ø35mmm with SHIM Ø31.8mm
WEIGHT: 39g/ set



NEW COMPUTER MOUNT



Angle adjust serew.



Secondary fixing screw.

P.A.T.
Taiwan No.113206040 / 113206042
China No.202421339745.6 / 202421339739.0



GM-GRA


2027.P71-02

Computer mount for integrated bar stem.
Main arm angle adjustable.
Compatible with Garmin Edge 1050.

MATERIAL: AL 6061-T6
Extension arm / PA66
FEATURES: Extension arm angle adjustable.
Dual fixing bolt system.
Interchangeable tray system.







Fit stem screw distance

GM-GR-CX2

2027.P71-03

CNC bracket available in interchangeable trays.
Fit stem screw distance : 25mm- 34mm
Compatible with Garmin Edge 1050.

MATERIAL: Base / AL6061-T6
Extension arm / PA66
FEATURES: Extension arm angle adjustable.
Dual fixing bolt system.
Interchangeable tray system.







GR-MOUNT-AEROLIGHT

2027.P72-01

Best computer mount solution when use areo handlebar with barbore Ø31.8 stem.
Cap fit Giant® CONTACT AEROLIGHT STEM.
Compatible with Garmin Edge 1050.

MATERIAL: Cap / AL-6061-T6
Extension arm / PA66
FEATURES:: Extension arm angle adjustable.
Dual fixing bolt system.
Interchangeable tray system.
Stem cap customsize available.







GR-MOUNT-SL-R

2027.P71-04

Best computer mount solution when use areo handlebar with barbore Ø31.8 stem.
Cap fit Giant® CONTACT SL AERO STEM and CONTACT SLR AERO STEM.
Compatible with Garmin Edge 1050.

MATERIAL: Cap / AL-6061-T6
Extension arm / PA66
FEATURES:: Extension arm angle adjustable.
Dual fixing bolt system.
Interchangeable tray system.
Stem cap customsize available.





AVAILABLE IN DIFFERENT CYCLING COMPUTER AND CAMERA / LIGHT MOUNT

Interchangeable trays:



GM1
(GARMIN® Edge)



Mio2
(MIO® Cyclo™)



BTN3
(Bryton® Rider™)



GAT5
(GIANT® NEOSTRACK)

NEW



WHO6
(WAHOO® ELEMNT)



HMD8
(HAMMERHEAD KAROO®)



GPO7
(GoPro®)



NEW

AR-ADJ-GM1

2027.P71-01

Angle adjustable design.
5mm spacer style computer mount.
Fits 1-1/8" steerer tube.

Base / Extension arm
MATERIAL: AL6061-T6
Tray
MATERIAL: Nylon






WB-EXT-M

2027.P80-03

Bottle cage adapter.
Used to change the position of the water bottle cage.
Adjustable range 46mm.

MATERIAL: AL6061-T6





CL-ST22/CL-ST24

2027.P87-12

Clamp for ROAD bike lever.

MATERIAL: stainless
SPEC: CL-ST22: Ø22.2 × 12.5L, M5
CL-ST24: Ø24 × 14.9L, M6



WB-STP52

2027.P80-01

Excellent solution for extra parts storage.

MATERIAL: Bracket/ AL6061-T6
Strap/ Plastic+ Velcro
SPEC: Strap/ 25 x 250mm





AR-STP34

2027.P80-02

Extra storage spacer in stem area.

MATERIAL: Spacer/ AL6061-T6
Strap/ Plastic+ Velcro
SPEC: Spacer/ H 4mm, ID Ø28.6mm
Strap/ 25 x 250mm






WB-R1-20C
WB-R1-20C-L

2027.P79-01

The unique geometric-design water bottle cage, made of high-strength carbon-compound fiber, gives rooms to quick-link storage, and secures the water bottle firmly while in motion. This side-pull water bottle cage allows bikers to retrieve water bottles sideward or upward.

SPEC:
WB-R1-20 for right side to access water bottle.
WB-R1-20-L for left side to access water bottle.
MATERIAL: Carbon compostie
WEIGHT: 32g/pcs











Extra space for quick-link.








Easy to access bottle sideward or upward.

WE CAN REACH YOUR IDEAL DESIGN BASED ON OUR STEM EXTRUSION MATERIAL DATA.



Your Design



WE MAKE STEM(CNC)





NEW

STEM-KIX

2027.P62-01

Intergrate with BOSCH® KIOX BES3 monitor.
Compatiable with TOKEN® C-BOX integrated cable headset system.
Include TOP-CAP and KIOX adaptor.

Material: Alloy
Angle: +12°
Length:90/110mm





NEW

STEM-KIX-LT

2027.P62-02

Intergrate with BOSCH® KIOX BES3 monitor.
Compatiable with TOKEN® C-BOX integrated cable headset system.
Include TOP-CAP, KIOX adaptor, and front light adaptor.

Material: Alloy
Angle: +12°
Length:90/110mm



Front light adapter.
Compatiable with
SUPERNOVA®
starstream series

TL-BB-EXT56
TL-BB-EXT50
TL-BB-EXT48
TL-BB-EXT43

2027.P82-01

The BOTTOM BRACKET TOOL is made by high precision CNC machine to provide better contact area and stability of operation.
It can suitable for different specifications of BB and prevent tool slippage during use.

MATERIAL: AL 7075 - T651
WEIGHT: **EXT56** 109g / **EXT50** 91g / **EXT48** 82g / **EXT43** 66g
COLOR: **EXT56** Silver / **EXT50** Gold / **EXT48** Green / **EXT43** Gray

TL-BB-EXT56



TL-BB-EXT48



TL-BB-EXT50



TL-BB-EXT43



TL-BB-AXLE 2224
TL-BB-AXLE 2829
TL-BB-AXLE 2830

2027.P82-02

Suitable for different specifications of BB and prevent tool slippage during use.

MATERIAL: AL 6061-T6
WEIGHT: **AXLE2224** 59g / **AXLE2829** 117g / **AXLE2830** 125g
COLOR: **AXLE2224** Blue / **AXLE2829** Black / **AXLE2830** Red



TL-BB-AXLE 2224



TL-BB-AXLE 2829



TL-BB-AXLE 2830

TL-BB-SET

2027.P82-03

Both sides of the tool are available to BB of different sizes, and the different colors make it easy to distinguish the sizes.

MATERIAL: AL 7075-T651 / AL 6061-T6
SPEC: Bottom bracket tool & Axle



TL-BB-EXT56



TL-BB-EXT48



TL-BB-EXT50



TL-BB-EXT43





TL-BB-AXLE 2224



TL-BB-AXLE 2829



TL-BB-AXLE 2830

TK-ATG01

2027.P101-02

Top cap with Air Tag holder, special locking tool include.

MATERIAL: Top cap: AL6061
Tool: Nylon
WEIGHT: 28g/ set
Air Tag not included









WB-ATG-02

2027.P101-03

Air Tag holder that mount on the bike frame water bottle attachment point, and zip tip under the bike saddle rail.

MATERIAL: Nylon66
COLOR: Black
WEIGHT: 23g/pcs (With bolt)
Air Tag not included








PU-8703-T22

2027.P81-06

The function of protector is to provide the best Friction resistance and protection for the frame, it keeps your frame new and clean.

MATERIAL: PVC
Spec: Top tube protection x1
Down tube protection x1
Chainstay protection x2
Frame or other protection x6
H: 0.4mm
COLOR: 50% transparent
WEIGHT: 31g




PU-9000-T22

2027.P81-07

The function of protector is to provide the best Friction resistance and protection for the frame, it keeps your frame new and clean.

MATERIAL: PU
Spec: Top tube protection x1
Down tube protection x1
Chainstay protection x2
Frame or other protection x6
H: 0.25mm
COLOR: Transparent
WEIGHT: 29g



ANTI NUT CO -L(AM)

2027.P101-06

MATERIAL: STEEL NUT /AL6061T6 CONE
SPEC: M9*1.0,M10*1.0,3/8*26T
LENGTH: 30MM
With SPECIAL ALLEN KEY





ANTI NUT CO -LOE(OE)

2027.P101-07

MATERIAL: STEEL
SPEC: M9*1.0,M10*1.0,3/8*26T
LENGTH: 23MM/28MM
With SPECIAL ALLEN KEY





RS-MINI BAR-02

2027.P94-06

New design can combination with lock-on grip.

MATERIAL: Nylon
WEIGHT: 30.4g/set





RS-MINI BAR

2027.P94-05

Create an additional hand position on the handlebar.
Minimizes hand numbness, carpal and ulnar issues.

MATERIAL: Nylon
SPEC: ID Ø22.2mm
WEIGHT: 17.8g/set





ADP-FA-P16

2027.P90-01

For flat mount fork adapter to post mount caliper.

MATERIAL: AL 6061-T6
Spec: For 160m/m rotor
WEIGHT: 42g/pcs



ADP-RFA-P14

2027.P90-05

For flat mount frame adapter to post mount caliper.

MATERIAL: AL 6061-T6
Spec: For 140m/m rotor
WEIGHT: 16g/pcs



ADP-RFA-P16

2027.P90-06

For flat mount frame adapter to post mount caliper.

MATERIAL: AL 6061-T6
Spec: For 160m/m rotor
WEIGHT: 23g/pcs



ADP-RFA-P18

2027.P90-07

For flat mount frame adapter to post mount caliper.

MATERIAL: AL 6061-T6
Spec: For 180m/m rotor
WEIGHT: 26g/pcs



NEW

ADP-EV-POD-L

2027.P87-04

Adapter for SRAM POD electronic controller mount on SHIMANO I-SPEC-EV system disc brake lever.
MATERIAL:AL6061-T6
SPEC:I-SPEC-EV(L SIDE)
WEIGHT:12g



NEW

ADP-EV-POD-R

2027.P87-05

Adapter for SRAM POD electronic controller mount on SHIMANO I-SPEC-EV system disc brake lever.
MATERIAL:AL6061-T6
SPEC:I-SPEC-EV(R SIDE)
WEIGHT:12g




ADP-EVMX22

2027.P87-06

Adapter for SRAM disc brake lever to SHIMANO shift lever with screw and nut.

MATERIAL: Forged AL 6061T6
SPEC: SRAM® MMX system to SHIMANO® I-SPEC-EV system
COLOR: Sand blast black



ADP-ISPEC-EV

2027.P87-07

SHIMANO® disc brake lever can fix SRAM® shift lever. With special screw and nut.

MATERIAL: AL6061 -T6
SPEC: I-SPEC-EV




ADP-ISPEC-EV-21

2027.P87-08

SHIMANO® disc brake lever can fix SRAM® shift lever. With special screw and nut.
Left & right same angle.

MATERIAL: AL6061 -T6
SPEC: I-SPEC-EV
WEIGHT: 15g/ set



SDM-HANGER-001

2027.P99-01

Fit 2023 GIANT® TCR & PROPEL & DEFY.

MATERIAL: AL7075-T651
Custom avaliable



ADP-BT-S

2027.P101-01

Holder for SRAM® AXS/ ETAP battery.

MATERIAL: Nylon66
COLOR: Black, red
With cable tie
Battery not included





CL-ISPEC-2

2027.P87-01

SHMANO® SL-RS700 I-SPEC-2 flat bar shift lever to clamp type.

MATERIAL: AL6061-T6
SPEC: I-SPEC-2
COLOR: Sand blast black





EV-CLAMP-21

2027.P87-02

Shifter (shift lever) I-SPEC-EV mount.

MATERIAL: AL6061-T6
Compatibility handlebar: 22.2mm
Compatiblity shift lever: SHIMANO®
WEIGHT: 25g





TL-105

2027.P98-04

Stainless steel plate nylon container.

CONTENT :
Spoke wrench x 1pcs / Patch x 12pcs
Tire seal strip x 5pcs / Self-adhesive patch x12pcs
Grinder x 1pcs





TL-105-E

2027.P98-05

CONTENT :
Stainless steel Bracket x 1pc / Nylon container x 1pc

F-STRAP

2027.P98-07

Quick and easy to carry repair kits when long distance riding.

VELCRO LENGTH : 58cm

Tools not included







F-STRAP-BAG

2027.P98-06

Quick and easy to carry repair kits when long distance riding, include mounting bag to helpful for sorting kit.

VELCRO LENGTH : 58cm

Tools not included














NEW

WB-TGR-S

2027.NEW

Cargo cages can be installed on front forks or rear racks with bottle cage mounts .
Two anti-slip velcros and bottle opener function are included.

Material : AL6061-T6









CL-CRZ

2027.P101-01

Seatpost-mounted connector designed for single-stay rear racks, featuring quick installation and secure attachment.
Compatible with various shapes and different sizes seatposts.

MATERIAL: Nylon lever and bracket.
Rubber strape.
Patent pending.





1.
Choose a suitable fixing hole for the strap when the quick-release handle is in the open position.



2.
Secure the straps completely into the mounting bracket.



3.
Assembly is complete by closing the quick-release handle.

ACCESSORIES

TL-500

2027.P95-01

End cap style storage for MTB alloy handle bar.

COMBO PLIER FEATURES:
Master link tool / Master link storage / Valve core tool / Tire lever / Bike chain hook / Storage vault
Patent in multiple countries
MATERIAL: Forged alloy and CNC machined
WEIGHT: 38.5g
TUBELESS REPAIR KIT CONTENT:
Reamer / Plugger / Tire seal strip
6 PCS BITS CONTENT:
Hex3 / 4 / 5 / 6 / PH1 / T25 with tool stick





Chain breaker

TL-750

2027.P97-01

Multi tool storage tube with CO2 cartidges thread.
compatiable ADP-CO2-A1-T.
Include tube holder WB-UHD-22 for two pieces and end cap style storage TL-501 for MTB alloy handle bar.


COMBO PLIER FEATURES:
Master link tool / Master link storage / Valve core tool / Tire lever / Bike chain hook / Storage vault
Patent in multiple countries
MATERIAL: Forged alloy and CNC machined
WEIGHT: 38.5g
TUBELESS REPAIR KIT CONTENT:
Reamer / Plugger / Tire seal strip
6 PCS BITS CONTENT:
Hex3 / 4 / 5 / 6 / PH1 / T25 with tool stick



TL-101-1 6 Functions features combo pliers content



TL-102-1 8 Functions features tubeless repair kit



6 pcs bits

Tool stick

PH1

T25

Hex3

Hex4

Hex5

Hex6

Links & Accessories

Chain quick links

(You may purchase it in the shop)

Chain Pliers

Master Links Storage

Bike Chain Hook

Chain Breaker

Patching Tire & Accessories

Threaded Co2 cartidges

(You may purchase it in the shop)

Co2 Inflator (Option)

(S)Bicycle Pump (Option)

(L)Bicycle Pump(Option)

(L)Bicycle Pump Adapter (Option)

(FOURIERS Option Accessories)

Patching Tire & Accessories

Glue

Grinder

Patch

Self-adhesive patch

Reamer

Tire seal strip

Plugger As Handle

Rim Set Accessories

Spoke wrench

Valve Core Tool

Tire Lever

Nipple

Spoke

(You may purchase it in the shop)

Fitting Series



FITTING EQUIPMENT

ADP-FIT-WR


2027.P102-01

Quick and easy to change position for trainer or fitting.
Angle adjustment from 0 to 12 degrees.
Three wheels allow it to adjust itself.

HEIGHT RANGE: 80 - 290 mm







ADP-FIT-RHB

2027.P103-01

Allow you to find the most appropriate handlebar width swiftly and painlessly.
Ease your physical fatigue for long distance riding.

MATERIAL : AL6061
SPEC : 320~440mm
DROP : ±125mm
REACH : ±70mm

Only for fitting setting not for outdoor riding.



Find your perfect handlebar width swiftly.



ADP-FIT-SA

2027.P103-03

Use the STEM ADJUSTER to provide fitting service for the biker on his or her own bike to earn the right stem length (50mm~150mm) and angle (±30 degrees) .

FORK STACK HIGH : Ø40mm, Ø31.8mm with shim Ø28.6mm
HANDLEBAR CLAMP : Ø31.8mm
LENGTH : 50 - 150mm
ANGLE : ±25°
OPTION : Ø35mm Clamp







ADP-FIT-XYA

2027.P103-04

Stem slimension inspection platform.

MATERIAL: AL6061-T6
SPEC:
HANDLEBAR STEM: Ø31.8 x Ø34.9 x (H)50mm x 1pcs
SPACER: IDØ28.6 x ODØ34.2 x (H)3mm x 2pcs
IDØ28.6 x ODØ34.2 x (H)5mm x 2pcs
IDØ28.6 x ODØ34.2 x (H)10mm x 1pcs
IDØ31.8 x ODØ38.8 x (H)2.5mm x 2pcs
IDØ31.8 x ODØ38.8 x (H)5mm x 2pcs
IDØ31.8 x ODØ38.8 x (H)10mm x 1pcs
SHIM-CC-AL: IDØ28.6 x ODØ31.8 x (H)38mm x 1pcs
IDØ31.8 x ODØ34.9 x (H)58mm x 1pcs
WEIGHT: 2.515kg/set



ADP-FIT-CZ

2027.P103-05

Precision CNC machines fitting bike sizing cranks.

CRANK LENGTH: 145, 150, 155, 160, 165, 167.5, 170, 172.5, 175, 177.5, 180mm

AXLE: 24mm / 30mm

MATERIAL: CRANK: AL6061-T6
AXLE: AL 2024

CHAINRING: Single 46T





CK-GRA

2027.P33-01

SRM Spider PowerMeter with rechargeable system.

MATERIAL: SPINDLE: AL 2024
CHAINRING: AL7075-T651
CRANK: AL6066-T6 / Carbon fiber

CRANK LENGTH: AL6066-T6: 145, 147.5, 150, 152.5, 155, 157.5, 160, 162.5, 165, 167.5, 170, 172.5, 175mm
Carbon fiber: 145, 150, 155, 160, 165, 167.5, 170, 172.5, 175mm

GEAR COMBINATION: 34/50T, 36/52T, 39/53T, 42/54T,42/55T

COLOR: S.B Black





145 147.5 150 152.5 155 157.5 160 162.5 165 167.5 170 172.5 175mm

CRANK SET

